

Work Order ID 103854

103854

Page 1

July-03-13 9:28:40 AM

Item ID: D2565-203

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut

Start Date: 7/03/13

Start Qty: 6.00

6

Cust Item ID:

Required Date: 7/16/13

Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2565

Rev E

100

Punch ends and deburr as per dwg

0.00

100

Brake NC

Memo

0.00

Brake NC

Punch as per Dwg D2565 using DT 8313

110

Small Fab

0.00

110

Small Fab

Memo

0.00

Small Fab

Drill hole as per Dwg D2565 (one end only)
Deburr

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control


SM 13/07/14

Cox

ES 13/08/10

B.8.15

6



Work Order ID 103854

103854

Page 2

July-03-13 9:28:40 AM

Item ID: D2565-203 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*

Item Name: Strut
Start Date: 7/03/13 Start Qty: 6.00 *6* Cust Item ID:
Required Date: 7/16/13 Req'd Qty: 6.00 *6* Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start *NR1*
QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130 White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel 0.00

130

Powdercoat

Powder Coating

Memo

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

9:50

0.00

400 OF

10:20

6x d m-f 13/08/16

140 QC3- Inspect Part Finish 0.00

140

QC

Quality Control

Memo

0.00

6x d ll 13/08/16

150 Identify as per dwg & Stock Location: ST253A 0.00

150

Packaging

Packaging

Memo

0.00

6x y.k. 13-08-16

Picklist Print

July-03-13 9:28:39 AM

Page 1

Work Order ID: 103854
Parent Item: D2565-203
Parent Item Name: Strut

Start Date: 7/03/13
Start Qty: 6.00
Required Date: 7/16/13
Required Qty: 6.00

Comments: IPP: D01.06.04Added Powder Coat, Removed Polish, and Added Inspection Levels 3 & 21EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TR0.750W.049
304 RD Tube .750 x .049W

Purchased

No

100

f

838.2989

1.75

11.052632

SA 13/07/04

Location

Loc Qty

Loc Code

MAT017

838.2988825

122312

13.3

122468

0.0000325

124768

83.93245

125068

52.0664

125513

289

M126183


400

12

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2565	REV. E SHEET 1 OF 1
DATE 04.05.05		TITLE STRUT	SCALE 1:3
A	96.05.03	NEW ISSUE	
B	97.03.15	CORRECT D2565-111 DIM. A	
C	98.10.05	UPDATED MATERIAL NOTE (TSR A603)	
D	02.06.05	ADD -3XX PARTS; ADD FINISH	
E	04.05.05	ADD D2565-401-411; RMV ANGLE D	

RELEASED
04.05.05



DIA 0.257 TO BE PUNCHED
"C" DIA TO BE OPENED MANUALLY
PUNCH ENDS PER SPEC CONTROL DRAWING D2638

Handwritten:
11032854

PART #	A	B	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	-
D2565-109	12.31	11.51	-
D2565-111	13.65	12.85	-
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	-
D2565-209	15.16	14.36	-
D2565-211	14.14	13.34	-
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86	20.06	-
D2565-309	20.17	19.37	-
D2565-311	16.30	15.50	-
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	-
D2565-409	9.34	8.54	-
D2565-411	13.81	13.01	-

GENERAL NOTES

- 1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL
(REF DART SPEC. M304TR0.750W0.049)
ENSURE SEAMLESS TUBE IS USED
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

